

Boost productivity and gain efficiency. Produce professional-quality, color documents in-house. Easily print, scan directly to e-mail, copy and fax with a Web-connected, color laser MFP. Print from virtually anywhere with HP ePrint.⁵

Print Speed¹: Up to 19 ppm black (letter), Up to 19 ppm color (letter)

First Page Out: As fast as 17 sec (black) and 17 sec (color)

Scan Resolution: Up to 1200 x 1200 dpi (mono), Up to 600 x 600 dpi (color)

Copy Resolution: Up to 300 dpi; Max No of Copies: Up to 99 copies Paper Handling: Up to 300 sheets (standard), 150-sheet output bin

Standard Connectivity: 1 Hi-Speed USB 2.0 port, 1 Host USB port (front-panel),

1 Fast Ethernet 10/100Base-TX network port, 1 WiFi 802.11 b/g/n

Monthly Volume (Duty Cycle): Up to 30,000 pages









Versatile investment, professional color

- Achieve bold text and smooth color with HP ImageREt 3600 and Original HP LaserJet toner cartridges.
- Produce color marketing materials in-house on a range of media sizes and use tips and templates from HP.
- Print black text affordably—at the same cost per page as a black-and-white HP LaserJet printer.⁶

Networked multifunction capability

- Boost productivity and save time with print speeds up to 19 ppm (letter).
- Print on wireless² or Ethernet networks. Plus print from—and save to—flash drives.
- Install in only a few minutes—there's no CD required with HP Smart Install.³

Web-connected efficiency and expandability

- Use business apps and the 3.5-inch (8.89 cm) color touchscreen to access and print information from the Web.⁴
- Convert hard copies to digital files quickly and easily—scan straight to a USB, e-mail, or network folder.⁹
- Print from virtually anywhere with HP ePrint.⁵

Optimized energy savings

- Reduce energy use with HP Auto-On/Auto-Off Technology.⁷
 Also save with Instant-on Technology.⁸
- Get centralized, easy access to custom, energy-saving options and printer settings with HP EcoSMART Console.
- Take advantage of free, easy recycling—cartridges returned through HP Planet Partners are recycled responsibly.¹⁰

ecohighlights

HP LaserJet Pro 300 Color MFP M375nw

- Save energy—HP Auto-On/Auto-Off Technology turns your printer on when you need it, off when you don't.¹
- Lower your impact—reduce energy and paper use with HP EcoSMART Console.
- Free, convenient cartridge recycling in 54 countries.

ENERGY STAR® qualified

¹HP Auto-On/Auto-Off capabilities subject to printer and settings

www.hp.com/ecosolutions

ease recycle your computing hardware and printing supp nd out how at our website.



Measured using ISO/IEC 24734, excludes first set of test documents. For more information see https://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. "Wireless performance is dependent upon physical environment and distance from access point, and may be limited during active VPN connections." In PS mart Install works with Windows only. "Requires a wireless access point and an Internet connection to the printer. Services may require registration. Availability varies by country, language, and agreements, and requires a firmware upgrade. For details, https://www.hp.com/go/eprintenter. "Requires an Internet connection to the printer. Feature works with any Internet- and e-mail-capable device. Print times may vary. For a list of supported documents and image types, see https://www.hp.com/go/eprintenter. "Requires an Internet connection to the printer. Feature works with any Internet- and e-mail-capable device. Print times may vary. For a list of supported documents and image types, see https://www.hp.com/go/eprintenter. "Compared with HP LaserJet Pro M1536. Assuming customer is printing at least 30% of total pages in color with content similar to the color ISO/IEC 19798 test suite (https://www.hp.com/go/eprintenter. "Compared with PlacerJet Pro M1536. Assuming customer is printing at least 30% of total pages in color with content similar to the color ISO/IEC 19798 test suite (https://www.hp.com/go/eprintenter. "Auto-On/Auto-Off capabilities subject to printer and settings." Internet and recycling is currently available in more than 50 countries and territories around the world through the HP Planet Partners program. For more information, or















TC/	CLINII	CAL	CD	CCIE	ICAT	ION:	•

TECHNICAL SPECIFICA	TIONS				
PRODUCT NUMBER	CE903A				
FUNCTIONS	Print, Fax, Scan, Copy				
AIO MULTITASKING SUPPORTED	Yes				
DUPLEX PRINT OPTIONS	Manual (driver support provided)				
STANDARD PRINTER LANGUAGES	HP PCL 6, HP PCL 5c, HP postscript level 3 emulation				
PRINTER MANAGEMENT	Windows: HP Device Toolbox, Status Alerts (default install), SNP Alerts (minimum network install), HP Web Jetadmin (download); Mac: HP Utility				
PRINT SPEED ¹	Black (Letter): Up to 19 ppm; Color (Letter): Up to 19 ppm; First Page Out ² : As fast as 17 sec (black) and 17 sec (color)				
PRINT RESOLUTION	Black (Best): Up to 600 x 600 dpi; Color (Best): Up to 600 x 600 dpi				
PRINT TECHNOLOGY RESOLUTION	HP ImageREt 3600				
PRINT TECHNOLOGY	Laser				
NUMBER OF PRINT CARTRIDGES	4 (1 each black, cyan, magenta, yellow)				
PRINTER SMART SOFTWARE FEATURES	HP ePrint, Apple AirPrint™, Wireless Direct Print, Smart Install, HP Auto-On/Auto-Off Technology, Simplified control panel, Compact design				
HP ePrint CAPABILITY	Yes				
MOBILE PRINTING CAPABILITY	HP ePrint, Apple AirPrint™, Wireless Direct Print, Business Applications				
DUTY CYCLE (MONTHLY) ³	Up to 30,000 pages				
RECOMMENDED MONTHLY PAGE VOLUME ⁴	Up to 500 to 1,500 pages				
COLOR SCANNING	Yes				
TWAIN VERSION	Version 1.9				
SCAN TYPE	Flatbed, ADF				
SCAN RESOLUTION	Hardware: Up to 300 x 300 dpi (color and mono, ADF); Up to 600 x 600 dpi (color, flatbed); Up to 1200 x 1200 dpi (mono, flatbed) Optical: Up to 300 dpi (color and mono, ADF); Up to 600 dpi (color, flatbed); Up to 1200 dpi (mono, flatbed)				
SCAN SPEED⁵	Black (Normal): Up to 11.5 ipm; Color (Normal): Up to 4.5 ipm				
SCAN SPEED ⁵ BIT DEPTH/GRAYSCALE LEVELS	Black (Normal): Up to 11.5 ipm; Color (Normal): Up to 4.5 ipm 24-bit/256				
BIT DEPTH/GRAYSCALE					
BIT DEPTH/GRAYSCALE LEVELS	24-bit/256				
BIT DEPTH/GRAYSCALE LEVELS SCAN FILE FORMAT	24-bit/256 PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF From PC: Solution Center Lite (Windows Vista®, Windows® XP) or Device Stage (Windows® 7);				
BIT DEPTH/GRAYSCALE LEVELS SCAN FILE FORMAT SCAN INPUT MODES	24-bit/256 PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF From PC: Solution Center Lite (Windows Vista®, Windows® XP) or Device Stage (Windows® 7); TWAIN-compliant or WIA-compliant software				
BIT DEPTH/GRAYSCALE LEVELS SCAN FILE FORMAT SCAN INPUT MODES SCAN SIZE MAXIMUM	24-bit/256 PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF From PC: Solution Center Lite (Windows Visto [®] , Windows [®] XP) or Device Stage (Windows [®] 7); TWAIN-compliant or WIA-compliant software ADF: 8.5 x 14 in (216 x 356 mm); Flatbed: 8.5 x 11.7 in (216 x 297 mm)				
BIT DEPTH/GRAYSCALE LEVELS SCAN FILE FORMAT SCAN INPUT MODES SCAN SIZE MAXIMUM COPY RESOLUTION	24-bit/256 PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF From PC: Solution Center Lite (Windows Vista®, Windows® XP) or Device Stage (Windows® 7); TWAIN-compliant or WIA-compliant software ADF: 8.5 x 14 in (216 x 356 mm); Flatbed: 8.5 x 11.7 in (216 x 297 mm) Black (Text and Graphics): Up to 300 x 300 dpi; Color (Text and Graphics): Up to 300 x 300 dpi Black (Letter): Up to 19 cpm; Color (Letter): Up to 19 cpm; First Copy Out (Color): As fast as 21 sec;				
BIT DEPTH/GRAYSCALE LEVELS SCAN FILE FORMAT SCAN INPUT MODES SCAN SIZE MAXIMUM COPY RESOLUTION COPY SPEED	24-bit/256 PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF From PC: Solution Center Lite (Windows Vista®, Windows® XP) or Device Stage (Windows® 7); TWAIN-compliant or WIA-compliant software ADF: 8.5 x 14 in (216 x 356 mm); Flatbed: 8.5 x 11.7 in (216 x 297 mm) Black (Text and Graphics): Up to 300 x 300 dpi; Color (Text and Graphics): Up to 300 x 300 dpi Black (Letter): Up to 19 cpm; Color (Letter): Up to 19 cpm; First Copy Out (Color): As fast as 21 sec; First Copy Out (Letter): As fas as 19 sec				
BIT DEPTH/GRAYSCALE LEVELS SCAN FILE FORMAT SCAN INPUT MODES SCAN SIZE MAXIMUM COPY RESOLUTION COPY SPEED ⁶ MAX NUMBER OF COPIES COPIER RESIZE AND	24-bit/256 PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF From PC: Solution Center Lite (Windows Vista®, Windows® XP) or Device Stage (Windows® 7); TWAIN-compliant or WIA-compliant software ADF: 8.5 x 14 in (216 x 356 mm); Flatbed: 8.5 x 11.7 in (216 x 297 mm) Black (Text and Graphics): Up to 300 x 300 dpi; Color (Text and Graphics): Up to 300 x 300 dpi Black (Letter): Up to 19 cpm; Color (Letter): Up to 19 cpm; First Copy Out (Color): As fast as 21 sec; First Copy Out (Letter): As fas as 19 sec Up to 99 copies				
BIT DEPTH/GRAYSCALE LEVELS SCAN FILE FORMAT SCAN INPUT MODES SCAN SIZE MAXIMUM COPY RESOLUTION COPY SPEED ⁶ MAX NUMBER OF COPIES COPIER RESIZE AND ENLARGE	24-bit/256 PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF From PC: Solution Center Lite (Windows Vista", Windows* XP) or Device Stage (Windows* 7); TWAIN-compliant or WIA-compliant software ADF: 8.5 x 14 in (216 x 356 mm); Flatbed: 8.5 x 11.7 in (216 x 297 mm) Black (Text and Graphics): Up to 300 x 300 dpi; Color (Text and Graphics): Up to 300 x 300 dpi Black (Letter): Up to 19 cpm; Color (Letter): Up to 19 cpm; First Copy Out (Color): As fast as 21 sec; First Copy Out (Letter): As fas as 19 sec Up to 99 copies 25 to 400% Number of copies, Reduce/Enlarge, Ligher/Darker, Optimize, Paper, Multi-page copy, Collation,				
BIT DEPTH/GRAYSCALE LEVELS SCAN FILE FORMAT SCAN INPUT MODES SCAN SIZE MAXIMUM COPY RESOLUTION COPY SPEED* MAX NUMBER OF COPIES COPIER RESIZE AND ENLARGE COPIER SETTINGS	24-bit/256 PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF From PC: Solution Center Lite (Windows Visto®, Windows® XP) or Device Stage (Windows® 7); TWAIN-compliant or WIA-compliant software ADF: 8.5 x 14 in (216 x 356 mm); Flatbed: 8.5 x 11.7 in (216 x 297 mm) Black (Text and Graphics): Up to 300 x 300 dpi; Color (Text and Graphics): Up to 300 x 300 dpi Black (Letter): Up to 19 cpm; Color (Letter): Up to 19 cpm; First Copy Out (Color): As fast as 21 sec; Tirst Copy Out (Letter): As fas as 19 sec Up to 99 copies 25 to 400% Number of copies, Reduce/Enlarge, Ligher/Darker, Optimize, Paper, Multi-page copy, Collation, Tray select, Two-sided, Draft mode, Image adjustment, Set as new defaults, Restore defaults Black (Best): Up to 300 x 300 dpi; Black (Standard): 203 x 98 dpi; Black and White (Fine): 203 x 196 dpi; Black and White (Superfine): 300 x 300 dpi (no halftone);				
BIT DEPTH/GRAYSCALE LEVELS SCAN FILE FORMAT SCAN INPUT MODES SCAN SIZE MAXIMUM COPY RESOLUTION COPY SPEED ⁶ MAX NUMBER OF COPIES COPIER RESIZE AND ENLARGE COPIER SETTINGS FAX RESOLUTION	24-bit/256 PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF From PC: Solution Center Lite (Windows Vista*, Windows* XP) or Device Stage (Windows* 7); TWAIN-compliant or WIA-compliant software ADF: 8.5 x 14 in (216 x 356 mm); Flatbed: 8.5 x 11.7 in (216 x 297 mm) Black (Text and Graphics): Up to 300 x 300 dpi; Color (Text and Graphics): Up to 300 x 300 dpi Black (Letter): Up to 19 cpm; Color (Letter): Up to 19 cpm; First Copy Out (Color): As fast as 21 sec; First Copy Out (Letter): As fas as 19 sec Up to 99 copies 25 to 400% Number of copies, Reduce/Enlarge, Ligher/Darker, Optimize, Paper, Multi-page copy, Collation, Tray select, Two-sided, Draft mode, Image adjustment, Set as new defaults, Restore defaults Black (Best): Up to 300 x 300 dpi; Black (Standard): 203 x 98 dpi; Black and White (Fine): 203 x 196 dpi; Black and White (Superfine): 300 x 300 dpi (no halftone); Black Photo Grayscale: 300 x 300 dpi				
BIT DEPTH/GRAYSCALE LEVELS SCAN FILE FORMAT SCAN INPUT MODES SCAN SIZE MAXIMUM COPY RESOLUTION COPY SPEED ⁶ MAX NUMBER OF COPIES COPIER RESIZE AND ENLARGE COPIER SETTINGS FAX RESOLUTION	24-bit/256 PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF From PC: Solution Center Lite (Windows Vista [®] , Windows [®] XP) or Device Stage (Windows [®] 7); TWAIN-compliant or WIA-compliant software ADF: 8.5 x 14 in (216 x 356 mm); Flatbed: 8.5 x 11.7 in (216 x 297 mm) Black (Text and Graphics): Up to 300 x 300 dpi; Color (Text and Graphics): Up to 300 x 300 dpi Black (Letter): Up to 19 cpm; Color (Letter): Up to 19 cpm; First Copy Out (Color): As fast as 21 sec; First Copy Out (Letter): As fas as 19 sec Up to 99 copies 25 to 400% Number of copies, Reduce/Enlarge, Ligher/Darker, Optimize, Paper, Multi-page copy, Collation, Tray select, Two-sided, Draft mode, Image adjustment, Set as new defaults, Restore defaults Black (Best): Up to 300 x 300 dpi; Black (Standard): 203 x 98 dpi; Black (Best): Up to 300 x 300 dpi; Black and White (Superfine): 300 x 300 dpi (no halftone); Black Photo Grayscale: 300 x 300 dpi 33.6 kbps; Letter: 3 sec per page Fax Memory (Letter): Up to 250 pages; Auto Fax Reduction Supported: Yes; Fax Forwarding Supported: Yes; Fax Polne TAM Interface Supported: Yes; Fax Polne TAM Interface Supported: Yes; Rax Plone TAM Interface Supported: Yes; Tax Polling Supported: Yes; Maximum Speed Dialing Numbers: Up to 120 numbers; PC Interface Supported: Yes; Maximum Speed Dialing Numbers: Up to 120 numbers; PC Interface Supported: Yes; PC fax send only; Remote Retrieval				
BIT DEPTH/GRAYSCALE LEVELS SCAN FILE FORMAT SCAN INPUT MODES SCAN SIZE MAXIMUM COPY RESOLUTION COPY SPEED* MAX NUMBER OF COPIES COPIER RESIZE AND ENLARGE COPIER SETTINGS FAX RESOLUTION FAX SPEED* FAX SMART SOFTWARE	24-bit/256 PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF From PC: Solution Center Lite (Windows Vista®, Windows® XP) or Device Stage (Windows® 7); TWAIN-compliant or WIA-compliant software ADF: 8.5 x 14 in (216 x 356 mm); Flatbed: 8.5 x 11.7 in (216 x 297 mm) Black (Text and Graphics): Up to 300 x 300 dpi; Color (Text and Graphics): Up to 300 x 300 dpi Black (Letter): Up to 19 cpm; Color (Letter): Up to 19 cpm; First Copy Out (Color): As fast as 21 sec; First Copy Out (Letter): As fas as 19 sec Up to 99 copies 25 to 400% Number of copies, Reduce/Enlarge, Ligher/Darker, Optimize, Paper, Multi-page copy, Collation, Tray select, Two-sided, Draft mode, Image adjustment, Set as new defaults, Restore defaults Black (Best): Up to 300 x 300 dpi; Black (Standard): 203 x 98 dpi; Black and White (Fine): 203 x 196 dpi; Black and White (Superfine): 300 x 300 dpi (no halftone); Black Photo Grayscale: 300 x 300 dpi 33.6 kbps; Letter: 3 sec per page Fax Memory (Letter): Up to 250 pages; Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: Yes; Distinctive Ring Detection Supported: Yes; Fax Forwarding Supported: Yes; Fax Polnen TAM Interface Supported: Yes; Fax Polnen TAM Interface Supported: Yes; Fax Sender only; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No Permanent fax memory backup, color faxing, auto fax reduction, auto redialing, delayed sending, fax forwarding, TAM interface, polling, junk barrier, distinctive ring detection, cover page wizard, block fax, billing codes, save and load, poll receive, fax activity reports, disl prefix setting, receive				
BIT DEPTH/GRAYSCALE LEVELS SCAN FILE FORMAT SCAN INPUT MODES SCAN SIZE MAXIMUM COPY RESOLUTION COPY SPEED* MAX NUMBER OF COPIES COPIER RESIZE AND ENLARGE COPIER SETTINGS FAX RESOLUTION FAX SPEED* FAX SPATURES FAX SMART SOFTWARE FEATURES STANDARD	24-bit/256 PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF From PC: Solution Center Lite (Windows Vista®, Windows® XP) or Device Stage (Windows® 7); TWAIN-compliant or WIA-compliant software ADF: 8.5 x 14 in (216 x 356 mm); Flatbed: 8.5 x 11.7 in (216 x 297 mm) Black (Text and Graphics): Up to 300 x 300 dpi; Color (Text and Graphics): Up to 300 x 300 dpi Black (Letter): Up to 19 cpm; Color (Letter): Up to 19 cpm; First Copy Out (Color): As fast as 21 sec; First Copy Out (Letter): As fas as 19 sec Up to 99 copies 25 to 400% Number of copies, Reduce/Enlarge, Ligher/Darker, Optimize, Paper, Multi-page copy, Collation, Tray select, Two-sided, Draft mode, Image adjustment, Set as new defaults, Restore defaults Black (Best): Up to 300 x 300 dpi; Black (Standard): 203 x 98 dpi; Black and White (Fine): 203 x 196 dpi; Black and White (Superfine): 300 x 300 dpi (no halftone); Black host Grayscale: 300 x 300 dpi 33.6 kbps; Letter: 3 sec per page Fax Memory (Letter): Up to 250 pages; Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: Yes; Distinctive Riag! Detection Supported: Yes; Fax Forwarding Supported: Yes; Fax Forwarding Supported: Yes; Fax Forwarding Supported: Yes; Fax Forwarding Supported: Yes; Tex Telephone Mode Supported: Yes; Junk Barrier Supported: Yes; Maximum Speed Dialing Numbers: Up to 120 numbers; PC Interface Supported: Yes, PC fax send only; Remote Retrieval Capability Supported: No; Telephone Mandest Supported: No Permanent fax memory backup, color faxing, auto fax reduction, auto redialing, delayed sending, fax forwarding, TAM interface, polling, junk barrier, distinctive ring detection, cover page wizard, block fax, billing codes, save and load, poll receive, fax activity reports, dial prefix selting, receive to PC (not available with Macintosh), print fax log 1 Hi-Speed USB 2.0 port, 1 Host USB port (front-panel), 1 Fast Ethernet 10/100Base-TX network				
BIT DEPTH/GRAYSCALE LEVELS SCAN FILE FORMAT SCAN INPUT MODES SCAN SIZE MAXIMUM COPY RESOLUTION COPY SPEED* MAX NUMBER OF COPIES COPIER RESIZE AND ENLARGE COPIER SETTINGS FAX RESOLUTION FAX SPEED* FAX SPEED* FAX SMART SOFTWARE FEATURES STANDARD CONNECTIVITY	24-bit/256 PDF, searchable PDF, JPG, RTF, TXT, BMP, PNG, TIFF From PC: Solution Center Lite (Windows Vista®, Windows® XP) or Device Stage (Windows® 7); TWAIN-compliant or WIA-compliant software ADF: 8.5 x 14 in (216 x 356 mm); Flatbed: 8.5 x 11.7 in (216 x 297 mm) Black (Text and Graphics): Up to 300 x 300 dpi; Color (Text and Graphics): Up to 300 x 300 dpi Black (Letter): Up to 19 cpm; Color (Letter): Up to 19 cpm; First Copy Out (Color): As fast as 21 sec; First Copy Out (Letter): As fas as 19 sec Up to 99 copies 25 to 400% Number of copies, Reduce/Enlarge, Ligher/Darker, Optimize, Paper, Multi-page copy, Collation, Tray select, Two-sided, Draft mode, Image adjustment, Set as new defaults, Restore defaults Black (Best): Up to 300 x 300 dpi; Black (Standard): 203 x 98 dpi; Black Abd (Best): Up to 300 x 300 dpi; Black (Standard): 203 x 98 dpi; Black Abd (Grayscale: 300 x 300 dpi 33.6 kbps; Letter: 3 sec per page Fax Memory (Letter): Up to 250 pages; Auto Fax Reduction Supported: Yes; Auto-Redialing: Yes; Fax Delayed Sending: Yes; Distinctive Ring Detection Supported: Yes; Fax Forwarding Supported: Yes; Fax Phone TAM Interface Supported: Yes; Fax Poling Supported: Yes (receive only); Fax Telephone Mode Supported: Yes; Junk Barrier Supported: Yes, PC fax send only; Remote Retrieval Capability Supported: No; Telephone Handset Supported: No Permanent fax memory backup, color faxing, auto fax reduction, auto redialing, delayed sending, fax forwarding, TAM interface, polling, junk barrier, distinctive ring delection, cover page wizard, block fax, billing codes, save and load, poll receive, fax activity reports, dial prefix setting, receive to PC (not available with Macintosh), print fax log 1 Hi-Speed USB 2.0 port, 1 Host USB port (front-panel), 1 Fast Ethernet 10/100Base-TX network port, 1 WiFi 802.11 b/g/n				

CONTROL PANEL	3.5-in intuitive touchscreen control panel with color graphic display, Buttons (Home, Cancel, Help,				
CONTROL PARLE	Right/Left Arrows, Back), LED indicator lights (Ready, Error, Wireless)				
DISPLAY	3.5" (8.89 cm) touchscreen, LCD (color graphics)				
MAXIMUM MEMORY	448 MB				
PROCESSOR SPEED	600 MHz				
MEDIA TYPE AND CAPACITY	ADF: Sheets: 50; Tray 1: Sheets: 50; transparencies: 50; envelopes: 10; Tray 2: Sheets: 250, envelopes: 10; Tray 3 (optional): Sheets: 250, envelopes: 10				
MEDIA TYPES	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, transparencies, labels, envelopes				
MEDIA WEIGHT	ADF: 60 to 90 g/m²; Tray 1: 60 to 176 g/m² (up to 220 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m² (up to 176 g/m² with postcards); Tray 3 (optional): 60 to 163 g/m² (up to 176 g/m² with postcards)				
CUSTOM MEDIA SIZES	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, Tray 3 (optional): 3.94 x 5.83 to 8.5 x 14 in				
AUTO DOCUMENT FEEDER CAPACITY	Standard, 50 sheets				
FONTS AND TYPEFACES	84 scalable TrueType fonts				
PAPER HANDLING	50-sheet multipurpose tray, 250-sheet input tray 2, 150-sheet output bin, Optional 250-sheet input tray 3 Input Capacity (standard): Up to 300 sheets, Up to 10 envelopes Input Capacity (maximum): Up to 550 sheets (with optional tray 3) Output Capacity: Up to 150 sheets, Up to 20 envelopes, Up to 50 sheets transparencies				
POWER ⁸	Power Supply Type: Internal (Built-in) power supply; Power Requirements: Input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz) Typical Electricity Consumption (TEC) Number: 1.785 kWh/Week				
SOFTWARE INCLUDED	Windows: HP Installer/Uninstaller, HP PCL 6 print driver, HP WIA Scan Driver, HP TWAIN Scan Driver, HP Scan, HP Fax Setup Wizard, HP Send Fax, HP Fax Print Driver, Status Alerts, HP Update, DXP, Readlris Software; Mac: HP Installer/Uninstaller, HP Postscript driver, HP Scan, HP Setup Assistant, HP Fax Print Driver, HP Utility, HP Alerts, HP Firmware Updater, ReadIris Software				
COMPATIBLE OPERATING SYSTEMS	Full software installs supported on: Microsoff® Windows® 7 32-bit and 64-bit, Windows Vista® 32-bit and 64-bit, Windows® XP 32-bit (SP2 or higher); Driver only installs supported on: Microsoff® Windows® Server 2008 32-bit and 64-bit, Windows® Server 2008 32-bit (SP3 or higher); Mac OS X v 10.5, v 10.6; Linpus Linux (9.4, 9.5), Red Hat Enterprise Linux 5.0 (supported with a pre-built package); SUSE Linux (10.3, 11.0, 11., 11.1, 11.2), Fedora (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu (8.04, 8.0.4.1, 8.0.4.2, 8.1.0, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris 8/9				
MINIMUM SYSTEM REQUIREMENTS	PC: Microsoft® Windows® 7 (32-bit/64-bit), Windows Visto® (32-bit/64-bit): 1 GHz 32-bit (x86) or 64-bit (x64) processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Windows® XP (32-bit) SP2: Pentium® 233 MHz processor, 512 MB RAM 400 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Mac: Mac OSX v 10.5, v 10.6, PowerPC G4, G5, or Intel® Core™ Processor, 500 MB hard disk, CD-ROM/DVD-ROM or Internet, USB or Network port				
ACOUSTIC ⁹	Acoustic Power Emissions: 6.5 B(A) Acoustic Power Emissions (Ready): 4.2 B(A) Acoustic Pressure Emissions Systander (Active, Printing): 51 dB(A); Acoustic Pressure Emissions Bystander (Ready): 28 dB(A)				
OPERATING ENVIRONMENT	Operating Temperature Range: 59 to 86° F (15 to 30° C); Recommended Operating Temperature: 59 to 80.6° F (15 to 27° C) Storage Temperature Range: -4 to 104° F (-20 to 40° C) Non-Operating Humidity Range: 10 to 95% RH (non-condensing) Operating Humidity Range: 10 to 80% RH (non-condensing) Recommended Humidity Operating Range: 20 to 70% RH (non-condensing)				
PRODUCT DIMENSIONS	W x D x H : 16.5 x 19.0 x 19.7 in (420 x 483 x 500 mm); Maximum : 16.5 x 27.3 x 19.7 in (420 x 693 x 500 mm)				
PRODUCT WEIGHT	62.2 lb (28.2 kg)				
WHAT'S IN THE BOX ¹⁰	Multifunction printer, Four preinstalled introductory HP LaserJet toner cartridges (yield ~ 1,400 pages), In-box documentation (Hardware installation guide), Software drivers and documentation on CD-ROMs, Power cord, Telecom fax cable, Built-in Wireless card, USB cable				
WARRANTY	One-year limited warranty				
HP SERVICES AND SUPPORT OPTIONS	HP 3y Nbd Color LasjerJet M375 MFP Supp, U1H76E HP 3y 4hr 9x5 Color LaserJt M375 MFP Supp, U1H77E HP 3y 4hr 13x5 Color IsztJt M375 MFP Supp, U1H78E HP 3y Nbd Color LaserJet M375MFP HW Supp, U1H87E HP 1y PW Nbd Clr LasjerJt M375MFP HW Supp, U1H87E HP 1y PW Nbd Clr LasjerJt M375MFP HW Supp, U1H86PE HP Nbwlnstall Inkjet/prsn LaserJet SVC, H31 10E				
REPLACEMENT CARTRIDGES	HP 305A Black LaserJet Toner Cartridge (~ 2,200 pages), CE410A HP 305K Black LaserJet Toner Cartridge (~ 4,000 pages), CE410X HP 305A Cyan LaserJet Toner Cartridge (~ 2,600 pages), CE411A HP 305A Yellow LaserJet Toner Cartridge (~ 2,600 pages), CE412A HP 305A Magenta LaserJet Toner Cartridge (~ 2,600 pages), CE413A				
ACCESSORIES	HP LaserJet 250-sheet Paper Feeder, CF106A HP 256 MB DDR2 144-pin DIMM, CB423A				

FOR MORE INFORMATION VISIT OUR WEBSITE AT WWW.HP.COM

HP LASERJET PRO 300 COLOR MFP M375nw Product Number: CE903A

ENERGY STAR® qualified models; see http://www.hp.com/go/energystar

Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerdaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Exact speed varies depending on the system configuration, software application, driver and document complexity. Our cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. While scanning to file from ADF. Exact speed varies depending on the system configuration and document complexity. From flatbed, exact speed varies depending on the system configuration and document complexity. Sased on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Values are subject to change. For current information see Product Support page at https://www.hp.com/go/learnaboutsupplies. Instruction to steed for printing: simplex, color. Configuration tested for printing: simplex, color. Printing in the printer and object to the printer and object to change. Printing in the printer and object to change printer and object t

©2011-2012 Hewlett-Packard Development Company, L.P. HP is a registered trademark of the Hewlett Packard Company. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. All other trademarks are the property of their respective owners. Microsoft and Windows are registered trademarks of Microsoft Corporation. Adobe and Acrobat are trademarks of Adobe Systems Incorporated. This listing of non HP products does not constitute an endorsement by Hewlett Packard Company. The information contained herein is subject to change without notice and is provides "as is" without warranty of any kind. HP shall not be liable for technical or editorial errors or omissions contained herein. May 2012, Rev.2